Innodisk Corporation (Symbol: 5289) 2019 Institutional Investors Conference

Randy Chien, Chairman April 16, 2019












Disclaimer



This file and the financial information and forecast information are based on information obtained by the company from internal and external sources. The actual operating results and financial conditions of the company may differ from these predictive sets of information due to various uncontrollable factors.

The viewpoints in this file reflects the company's opinion on the future by the current date. If there are any changes or adjustment in the future, the company is not responsible for notifying the reader or updating the content.




Agenda

- Company Profile and Overview
- Product and Technology
- Market trends and strategies
- Financial information
- Q&A



Company Profile and Overview





Established 2005

Capital NTD \$782M (2018)

Revenue NTD \$7,866M (2018)

Patents 80


Capacity 1,200K/M (2018)

Main products:

- Industrial SSD
- Industrial DRAM
- Embedded peripheral

Milestones






Worldwide Presence





R&D and Production center, Yi-lan





Landscape













Overview of Intelligent Solution for Manufacturing



Dara Analysis Platform i-發單系統

智慧排程系統

i-Cap

智能測試管理系統



Monitoring on Mobile devices



Manufacturing Operation Management 製造營運管理

生產管理

生產週期

量產統計

生產排程

警報管理

生產不良

RMA統計

溫溼度管理

品質管理

良率平台

RMA系統

CAR矯正

物料系統

FIFO

物料管理

目標達成率

出貨量

即時監控

自動化系統整合

通訊協定整合

機台數據採集

辨識系統



物流系統

自動化生產線

空調系統

空壓系統


Image Recognition





Face Recogition






Aouo plate recognition




Disaster Recovery



Hyper-Convergence Solution



Disaster Recovery (DR)



Target:

- 1. Disaster Recovery and Backup Site
- 2. Double Center and Double Active

RTO (災難復原時間) < 15 – 30 mins RPO (備份的頻率) < 1 – 2 hours

Product and Technology



Corporate advantages





Technical Aptitude by Design

Our advantage lies in our portfolio of hardware, software and firmware technology and how we arrange these basic building blocks into new works of innovation.

Deeply Rooted in the Market

The awareness of the pit falls and opportunities of vertical markets allow us to view the full picture when crafting the optimal solution.






We Are in It Together

To reach the optimal solution, working together with our partner from day one is paramount. The best possible outcome can be managed by developing solutions jointly.


Applications and Technologies







Flash – Complete Storage Solutions






Industrial Flash – Era of 3D NAND





Industrial Flash – NVMe product line





M.2

A rapidly growing form factor. Follow by SATA I/F, offering NVMe solution to the industrial and embedded market



Promoted by industry leaders as an excellent contender to fulfill the requirements of automation and gaming applications

OCuLinkDOM™


Industry first OCuLink interface drive – the next generation of server boot drives








Industrial DRAM – Purpose-built Memory Modules





2019 DRAM Highlight





AIoT DRAM

Diversified Product Portfolio For Data Computing Needs



DDR4 32GB

Large Capacity Embrace Big Data Era




DDR4 3200

Low Latency
High Capacity
Connect Emerging AI Market

2019 DRAM Highlight- AIoT DRAM







5G, Server, **Edge Application**





Anti-sulfuration to ensure harsh environment operation

Low Latency, High Capacity For New Era





Industrial I/O Expansion Card

Compatibility | Scalable | Customize

Innodisk provide the most complete expansion card to fulfill customer need, we offer various standard PCIe \ M.2 and mPCIe.









Complete Expansion Card Solution









Design Principles

In the industrial application environment. Innodisk use the most stringent test condition and industrial grade component to design our product, and also integration software with expansion card. so that can achieve 100% compatible stability in use.

Industrial Component
Safety Certification
Wide temperature

Integration Embedded OS
Support various driver
Complete API support










Building the AIoT Platform – Data Matters!





Software Core Technology in Edge





Data Security

Real Time Monitor

Disaster Recover

The TCG Opal thought the hardware encryption to enhanced data security, avoid the loss of data cause by storage loss.



Instantly monitors the lifespan and durability of storage components with alerts



When the edge device is unstable, quickly restore to the factory mode.



Cloud Management Platform



WICAP

O Data Collection

Collect data through management platforms and generate heterogeneous data from various Edge devices

Integration external I/O

In order to fulfill all of AIOT application, edge device require connection variety of external I/O sensor, which can be quickly integrated through the management platform

Dynamic Dashboard

Provides instrument panel intuitive design and dynamic adjustment of user interface to improve user experience

Ensuring Safety through Customization

Tailor-made mSATA SSD for MRI and NMR Devices



OVERVIEW

Non-magnetic components are required if system or devices are placed directly into the magnetic field of MRI or NMR systems. Safety becomes a major concern because where extreme magnetism is present, even a small amount of magnetic response can cause catastrophic failures and injuries within this application.



CHALLENGES

- Non-magnetic components in PCBA design
- Maintaining device stability while using alternative parts
- Monitoring of asset condition and predictive maintenance

SOLUTIONS

- Redesign SSD schematic and removal of magnetic components
- Manufactured under strict quality process
- iSMART feature to monitor device health

RESULTS

Even with the difficult conditions laid out by this application, the customer achieved their design goals with a tailor-made SSD design that ensured smooth device operation and an efficient monitoring scheme.

A More Reliable Commute

Monitoring and Wi-Fi Systems for Railroad Application



OVERVIEW

A European rail operator was looking to integrate a new monitoring and Wi-Fi system onboard, with the goal of enhancing customer experience and safety, as well as strengthening connectivity.





CHALLENGES

- Limited and constricted space
- Large capacity requirements
- High number of communication nodes
- Wide temperature variations and electromagnetic interference

SOLUTIONS

- RAID with dual SSD for high storage capacities and increased fault tolerance
- Tested and certified to withstand surge and HiPOT occurrences
- Customized Linux software and data recovery system

RESULTS

With the implementation of this monitoring and Wi-Fi system, the operator can ensure customer satisfaction as well as a stable and reliable connectivity. The operator is fully equipped to handle unforeseen situations and can ensure the highest degree of onboard safety.

Clearing the Way for a Safe Delivery





OVERVIEW

A Chinese truck manufacturer approached Innodisk for a data recording solution for vehicles transporting hazardous materials. They were in need of a way to reliably store data as well as a way to connect to the onboard CANbus system to gather data from operations. This data would then be sent real-time to a centralized location for fleet management.



CHALLENGES

- The customer needed to monitor and handle issues in a timely manner
- Secure data recording of the whole journey from start to destination
- The system had to be able to handle route planning and management
- Harsh operating conditions

SOLUTIONS

- Modules providing fast and rugged network performance
- Secure and fast data writing speeds
- Modules designed and tested for extreme thermal conditions
- All modules designed to withstand tough mechanical stress

RESULTS

Innodisk' s solution allowed for effective planning, and ensured correct driver behavior. The solution helped streamline the transport process and increase productivity, saving costs for the operator, and more importantly, lowering the associated risks of transporting hazardous materials, creating an overall safer environment for the handling of hazardous materials.

31

Facilitating Rapid Data Exchange

High-Performance Memory for Network Probe



OVERVIEW

Innodisk' s 2666MT/s Very Low-profile (VLP) DRAM provided a perfect solution for a Chinese manufacturer of network probes. These network probes handle large amount of data, so reliable memory speed and capacity are imperative.



CHALLENGES

- Network probes require both high-speed and high-capacity memory
- Low error tolerance
- Heat dispersal issues due to the small-sized 1U cabinet

SOLUTIONS

- 16GB 2666MT/s DDR4 provides both the needed speed and capacity
- Implemented Error Correcting Code (ECC) ensures minimal errors
- The low profile of the UDIMM VLP ensures optimized airflow and efficient heat dispersal

RESULTS

With Innodisk 16GB 2666MT/s UDIMM VLP DIMM installed, the customer found that all requirements had been fully met. This solution ensured that that the network probe could efficiently handle large data streams with no performance issues and efficient heat dispersal.

Eliminating Frame Loss

Tailor-made Storage for High-level Surveillance Systems



OVERVIEW

Modern surveillance systems handle a lot more than just recording. As computational power grows, smart solutions such as facial recognition and data analytics require fast speeds and optimized firmware. An American partner of Innodisk was struggling with frame loss during data recording, and turned to Innodisk for help. After some deliberation, Innodisk could identify the problem and propose a viable solution.



CHALLENGES

- The old surveillance setup exhibited regular frame loss during recording
- The customer needed assistance in locating the source of the frame loss
- A new customized solution was needed to secure stable video recording

SOLUTIONS

- Innodisk identified the problem to be interruptions from firmware operations
- The firmware was optimized and altered according to the requirements, effectively solving the frame loss issues

RESULTS

Innodisk helped the customer identify and rectify the original problem. Through innovative firmware optimization, the customer could deliver a reliable, high-level surveillance solution without worrying about loss of recording quality.


Market trends and strategies




Market Trends and Strategies




Application Technology



Storage Technology

















資料分析/計算







Server





AloT Smart City


資料產生/蒐集


資料產生/蒐集



Smart City








Financial information



Revenues over last 5 years




NT\$:K




Net profit and EPS over last 5 years






Revenue by product lines





Revenue by regions






Annual income statement



	2016	2017	2018	YoY
Revenues	4,645,526	6,544,206	7,866,250	20.2%
Cost of good sold	3,381,202	4,770,505	5,925,784	24.2%
Gross profit	1,264,324	1,773,701	1, 940,466	9.4%
Operation expenses	713,676	777,465	831,211	6.9%
Operation profits	550,648	996,236	1,109,225	11.3%
Non-operating income and expenses	(19,002)	(78,308)	(10,733)	-
Profit before tax	531,646	917,928	1,098,522	19.7%
Income tax expense	125,762	187,067	248,072	32.6%
Net profits	405,884	730,861	850,450	16.4%
Non-controlling interests	(57,698)	(37,019)	7,366	-
Net profit attributable to parent company	463,582	767,880	843,084	9.8%
EPS	7.06	10.86	10.87	
Gross margin	27.2%	27.1%	24.7%	
Operating margin	11.9%	15.2%	14.1%	
Net profit rate	8.7%	11.2%	10.8%	

Q & A



innodisk

Innodisk Corporation







