

USB2.0 2MP Fixed Focus
Camera Module

EV2U-LOM1-RHCF

User Manual

Customer :

Customer Part Number :

Innodisk Part Number :

Innodisk Model Name :

Date :

Innodisk Approver

Customer Approver

Contents

1. Product Introduction	
1.1 Overview	4
1.2 Block Diagram	4
1.3 Product List	4
1.4 Product Picture	5
2. Product Specification	
2.1 Product Parameter	6
2.2 Resolution Information	7
2.3 Lens Specification	8
2.4 Electrical Specification	9
2.5 Environmental Specification	9
2.6 Mean Time Between Failure (MTBF)	10
3. Hardware Information	
3.1 Connector	11
3.2 Product Drawing	12
4. Packing List	13
5. Installation Guide	14
6. Declaration And Certification	15

Revision History

Revision	Description	Date
1.0	First Released	27, Mar, 2026

1. Product Introduction

1.1 Overview

This is a USB 2.0 2MP fixed focus camera module developed by Innodisk, featuring a built-in ISP and advanced HDR technology, delivering up to 1920 × 1080 resolution at 30 frames per second and offering a wide-angle field of view (FOV) of 96° (diagonal), 88° (horizontal), and 57° (vertical), ensuring stable, sharp image quality with exceptional clarity and dynamic range even in challenging lighting conditions, making it ideal for applications such as ATMs, access control systems, and other scenarios requiring precise image capture.

1.2 Block Diagram




Figure 1: Block Diagram

1.3 Product List

P/N	Description
EV2U-LOM1-RHCF-11	USB 2.0 2MP Fixed Focus Camera Module (USB cable included) Dimension : 38 x 38mm
EV2U-LOM1-RHCF-12	USB 2.0 2MP Fixed Focus Camera Module, with DMIC (USB cable included) Dimension : 38 x 38mm
EV2U-LOM1-RHCF-A1	USB 2.0 2MP Fixed Focus Camera Module (USB cable included) Dimension : 32 x 32mm
EV2U-LOM1-RHCF-A2	USB 2.0 2MP Fixed Focus Camera Module, with DMIC (USB cable included) Dimension : 32 x 32mm
EV2U-LOM1-RHCF-21	USB 2.0 2MP Fixed Focus Camera Module, with Housing (USB cable included) Dimension : 41.4 x 41.4mm
7W2000000160	USB 2.0 cable 1 meter, 5 pins, pitch 1mm

Table 1: Product List

1.4 Product Picture




Figure 2: Product Picture



Figure 3: Cable Picture

2. Product Specification

2.1. Product Parameter

Model Name	EV2U-LOM1-RHCF
Module Type	USB 2.0 2MP Fixed Focus Camera Module
Resolution (Max.)	2MP
Frame Rate (Max. Resolution)	30fps
Output I/F	USB 2.0
Sensor	Onsemi AR0246
Shutter	Rolling
Video Format	YUV422, MJPEG
Power Consumption	Approximate 0.6W (MJPEG @Max. Resolution)
Operating Temperature	0°C ~ 70°C
Sensor Size	1/4"
Pixel Size	2.0µm
Chroma Type	Color
Lens Type	Fixed Focus (M12)
Dimension (W x L x H/mm)	38 x 38 x 21.88 32 x 32 x 21.88 41.4 x 41.4 x 37.68 (Housing)
Lens FOV (D/H/V)	96°/88°/57°
Platform Support	Windows / Linux / Android / macOS
Housing	Board Level, Housing
Features	HDR
Dynamic Range	120dB
Warranty	3 Years
Module Weight	47.09g 84.80g (Housing)

Table 2: Product Parameter

2.2 Resolution Information

Resolution	YUV422	MJPEG
1920*1080	5 fps	30 / 25 / 20 / 15 / 10 / 5 fps
1280*720	10 / 5 fps	30 / 25 / 20 / 15 / 10 / 5 fps
640*480	30 / 25 / 20 / 15 / 10 / 5 fps	30 / 25 / 20 / 15 / 10 / 5 fps

Table 3: Resolution Matrix

2.3 Lens Specification

Items	Specification
F No.	2.00 ± 5%
Focal Length	2.00 ± 5% mm
Optical Back Focal Length	3.15 ± 0.2 mm (in air)
Mechanical Back Focal Length	2.35 ± 0.2 mm (in air)
TTL (Total Track Length)	15.60 ± 0.3 (in air)
Image Circle	Φ6.60 mm (MAX)
Lens Structure	1G5P
Mount	M12*P0.5
Diagonal FOV (D)	96°
Horizontal FOV (H)	88°
Vertical FOV (V)	57°

Table 4: Lens Specification

2.4 Electrical Specifications

Item	Value	Unit
Input Voltage	5	V
Current @Idle	17	mA
Current @Average	121	mA
Current @Maximum	258	mA
Idle Power Rating	0.085	W
Average Power Rating	0.605	W
Maximum Power Rating	1.29	W

Table 5: Power Consumption

2.5 Operating Temperature Range

Temperature	Range
Operation	0°C ~ +70°C
Storage	-40°C ~ +85°C

Table 6: Operating Temperature Range

2.6 Mean Time between Failure (MTBF)

Reliability prediction methodology provides the basis for reliability evaluation and analysis. The purpose of the prediction is to predict the life time of the product in units of failure rate and MTBF.

Product	Condition	MTBF (Hours)
EV2U-LOM1-RHCF-11	The analysis is at 25°C ambient temperature by Telcordia SR-332, Issues 4, Method I, Case 3 under Ground Benign, Controlled environment, 50% operation stress	23,957,208
EV2U-LOM1-RHCF-12	The analysis is at 25°C ambient temperature by Telcordia SR-332, Issues 4, Method I, Case 3 under Ground Benign, Controlled environment, 50% operation stress	21,430,861
EV2U-LOM1-RHCF-21	The analysis is at 25°C ambient temperature by Telcordia SR-332, Issues 4, Method I, Case 3 under Ground Benign, Controlled environment, 50% operation stress	23,957,208

Table 7: Mean Time between Failure (MTBF)

3. Hardware Information

3.1 Connector




Figure 4: Connector Picture

Function	Connector Type
USB 2.0	(無鹵)SMD/180D 1x5P P:1.00mm H:4.3mm Male Black -25~+85°C

Table 8: Connector Location

4. Packing List

P/N	Description	Qty.
EV2U-LOM1-RHCF	USB 2.0 2MP Fixed Focus Camera Module	1
7W2000000160	USB 2.0 cable 1 meter, 5 pins, pitch 1mm	1

Table 9: Packing List

5. Installation Guide

Connect the Camera using the USB 2.0 cable as shown below:


The USB 2.0 interface supports plug-and-play, so there is no need to power off the system before connecting the camera.

Connect one end of the USB 2.0 cable to the camera module.


Connect the other end of the cable to the USB port on the host system.

Once connected, verify that the camera is properly recognized by the system.

Make sure the cable is securely connected and not loose.



6. Declaration And Certification



宜鼎國際股份有限公司
Innodisk Corporation
REACH Declaration

Tel:(02)7703-3000 Fax:(02) 7703-3555 Internet: <https://www.innodisk.com/>

Innodisk Corporation pursues its social responsibility for global environmental preservation by committing to be compliant with REACH regulation (REGULATION (EC) No 1907/2006). We hereby confirm that the product(s),

Scope: Flash Memory, DRAM Module and Embedded Peripherals Products.

(Standard finished products, excluding all of customized products & EOL products.)

- The standard products of **not listed** in the **Appendix2** meet the requirements of REACH SVHC regulations (SVHCs < 0.1% in Article), as described in the candidate list table currently including 247 substances (release date: 21-JAN-2025) and shown on the ECHA website. <https://echa.europa.eu/candidate-list-table>
- The standard products listed in the **Appendix2** contain(s) one or more hazardous substances or constituents exceeding 0.1 % by weight in article if not otherwise specified in candidate list table.
Where the threshold value is exceeded, the substances in question are to be declared in accompanying. (SVHCs > 0.1% in Article).
- Comply with REACH Annex XVII.

Guarantor

Company name 公司名稱： Innodisk Corporation 宜鼎國際股份有限公司

Company Representative 公司代表人：  Yichuan Chen 陳怡全

Company Representative Title 公司代表人職稱：Quality Assurance Div. SR. Manager 品保處經理

Date 日期：2025 / 02 / 24



RoHS 自我宣告書 (RoHS Declaration of Conformity)

Manufacturer Products: All Innodisk Flash Memory, DRAM Module and Embedded Peripherals

- 一、 宜鼎國際股份有限公司（以下稱本公司）特此保證售予貴公司之所有產品，皆符合歐盟 2011/65/EU 及 (EU) 2015/863 關於 RoHS 之規範要求。
Innodisk Corporation declares that all products sold to the company, are complied with European Union RoHS Directive (2011/65/EU) and (EU) 2015/863 requirement.
- 二、 本公司同意因本保證書或與本保證書相關事宜有所爭議時，雙方宜友好協商，達成協議。
Innodisk Corporation agrees that both parties shall settle any dispute arising from or in connection with this Declaration of Conformity by friendly negotiations.
- 三、 本公司聲明我們的產品符合 RoHS 指令的附件中 7(a)、7(c)-I、6(c) 允許豁免。
We declare, our products permitted by the following exemptions specified in the Annex of the RoHS directive.
- ※ 7(a) Lead in high melting temperature type solders (i.e. lead-based alloys containing 85% by weight or more lead).
 - ※ 7(c)-I Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectric devices, or in a glass or ceramic matrix compound.
 - ※ 6(c) Copper alloy containing up to 4% lead by weight. (This exemption applies to products that use antennas)

Name of hazardous substance	Limited of RoHS ppm (mg/kg)
鉛 (Pb)	< 1000 ppm
汞 (Hg)	< 1000 ppm
鎘 (Cd)	< 100 ppm
六價鉻 (Cr 6+)	< 1000 ppm
多溴聯苯 (PBBs)	< 1000 ppm
多溴二苯醚 (PBDEs)	< 1000 ppm
鄰苯二甲酸二(2-乙基己基)酯 (DEHP)	< 1000 ppm
鄰苯二甲酸丁酯苯甲酯 (BBP)	< 1000 ppm
鄰苯二甲酸二丁酯 (DBP)	< 1000 ppm
鄰苯二甲酸二異丁酯 (DIBP)	< 1000 ppm

宜鼎國際股份有限公司
Innodisk Corporation

Guarantor



Company name 公司名稱：Innodisk Corporation 宜鼎國際股份有限公司

Company Representative 公司代表人： Yichuan Chen 陳怡全

Company Representative Title 公司代表人職稱：Quality Assurance Div. SR. Manager 品保處經理

Date 日期：2025 / 02 / 24

TEST REPORT

CERTIFICATE OF CONFORMITY

Standard: EN 55032: 2015+A11:2020, Class B
 BS EN 55032: 2015+A11:2020, Class B
 EN 61000-3-2: 2014 (Not Applicable)
 EN IEC 61000-3-2: 2019+A1:2021+A2:2024 (Not Applicable)
 BS EN IEC 61000-3-2: 2019+A1:2021+A2:2024 (Not Applicable)
 EN 61000-3-3: 2013+A1:2019+A2:2021+AC:2022 (Not Applicable)
 BS EN 61000-3-3: 2013+A1:2019+A2:2021 (Not Applicable)
 EN 55035: 2017+A11:2020
 BS EN 55035: 2017+A11:2020

Report No.: CEBDBO-WTW-P25050446

Product: 2MP Fixed Focus USB2.0 Camera Module

Brand: Innodisk

Model No.: EV2U-LOM1

Received Date: 2025/5/20

Test Date: 2025/5/21 ~ 2025/9/16

Issued Date: 2025/10/1

Applicant: Innodisk Corporation

Address: 5F., No. 237, Sec. 1, Datong Rd., Xizhi Dist., New Taipei City 221005, Taiwan (R.O.C.)

Issued By: Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch
Lin Kou Laboratories

Lab Address: No. 47-2, 14th Ling, Chia Pau Vil., Lin Kou Dist., New Taipei City, Taiwan

Test Location: No. 47-2, 14th Ling, Chia Pau Vil., Lin Kou Dist., New Taipei City, Taiwan

Approved by: Jim Hsiang, **Date:** 2025/10/1

Jim Hsiang / Associate Technical Manager

This test report consists of 46 pages in total. It may be duplicated completely for legal use with the approval of the applicant. It should not be reproduced except in full, without the written approval of our laboratory. The test results in the report only apply to the tested sample. The test results in this report are traceable to the national or international standards.



Prepared by : Ivy Lin / Specialist

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at _____ and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

TEST REPORT

CERTIFICATE OF CONFORMITY

Standard: 47 CFR FCC Part 15, Subpart B, Class B
ANSI C63.4-2014
ANSI C63.4a-2017

Report No.: FDBDBO-WTW-P25050446

Product: 2MP Fixed Focus USB2.0 Camera Module

Brand: Innodisk

Model No.: EV2U-LOM1

Received Date: 2025/5/20

Test Date: 2025/5/21 ~ 2025/5/22

Issued Date: 2025/10/1

Applicant: Innodisk Corporation

Address: 5F., No. 237, Sec. 1, Datong Rd., Xizhi Dist., New Taipei City 221005, Taiwan (R.O.C.)

Issued By: Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch
Lin Kou Laboratories

Lab Address: No. 47-2, 14th Ling, Chia Pau Vil., Lin Kou Dist., New Taipei City, Taiwan

Test Location: No. 47-2, 14th Ling, Chia Pau Vil., Lin Kou Dist., New Taipei City, Taiwan

FCC Registration /

Designation Number: 418586 / TW1078

Approved by: Jim Hsiang, **Date:** 2025/10/1

Jim Hsiang / Associate Technical Manager

This test report consists of 24 pages in total. It may be duplicated completely for legal use with the approval of the applicant. It should not be reproduced except in full, without the written approval of our laboratory. The test results in the report only apply to the tested sample. The test results in this report are traceable to the national or international standards.



This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at _____ and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.